	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	90543	((error failure RSSI 'signal strength' BER) NEAR3 (detect$3 confirm$5 determin$5))	USPAT	2002/07/15 08:14
2	BRS	L2	820	1 SAME ((download$3 transmission reception deliver) NEAR4 (eliminat$3 terminat$3 stop$4 end cancel$6))	USPAT	2002/07/15 08:15
3	BRS	L3	682	2 AND ((@ad <= "19970313") or (@rlad <= "19970313"))	USPAT; US-PGPUB	2002/07/15 08:16
4	BRS	L4	40994	455/$.ccls. 725/50 725/105-152.ccls.	USPAT	2002/07/15 08:17
5	BRS	L5	76	3 AND 4	USPAT	2002/07/15 08:17

	Type	Hits	Search Text	DBs	Time Stamp
16	BRS	1522	(download$3 transmission deliver) WITH ('operating system')	USPAT	2002/07/03 13:13
17	BRS	44	((download$3 transmission deliver) WITH ('operating system')) SAME (wireless satellite microwave RF)	USPAT	2002/07/03 13:41
18	BRS	9	(((download$3 transmission deliver) WITH ('operating system')) SAME (wireless satellite microwave RF)) AND (725/$.ccls. or 709/$.ccls.)	USPAT	2002/07/03 13:20
19	BRS	411	((download$3 transmission deliver) WITH ('operating system')) AND (725/$.ccls. or 709/$.ccls.)	USPAT	2002/07/03 13:20
20	BRS	285	(((download$3 transmission deliver) WITH ('operating system')) AND (725/$.ccls. or 709/$.ccls.)) AND ((@ad <= "19970313") or (@rlad <= "19970313"))	USPAT	2002/07/03 13:37
21	BRS	100	((((download$3 transmission deliver) WITH ('operating system')) AND (725/$.ccls. or 709/$.ccls.)) AND ((@ad <= "19970313") or (@rlad <= "19970313"))) AND (wireless satellite microwave RF)	USPAT	2002/07/03 13:41

	Type	Hits	Search Text	DBs	Time Stamp
22	BRS	1	5701451.pn.	USPAT; US-PGPUB	2002/07/08 10:32
23	BRS	44039	455/$.ccls. 725/50 725/105-152.ccls.	USPAT; US-PGPUB	2002/07/09 16:02
24	BRS	5653	(455/$.ccls. 725/50 725/105-152.ccls.) AND ((error failure RSSI 'signal strength' BER) NEAR4 (detect$3 confirm$5 determin$5))	USPAT; US-PGPUB	2002/07/09 16:05
25	BRS	1038	((455/$.ccls. 725/50 725/105-152.ccls.) AND ((error failure RSSI 'signal strength' BER) NEAR4 (detect$3 confirm$5 determin$5))) AND ((download$3 transmission reception deliver) NEAR4 (eliminat$3 terminat$3 stop$4 end cancel$6))	USPAT; US-PGPUB	2002/07/09 16:09
26	BRS	776	(((455/$.ccls. 725/50 725/105-152.ccls.) AND ((error failure RSSI 'signal strength' BER) NEAR4 (detect$3 confirm$5 determin$5))) AND ((download$3 transmission reception deliver) NEAR4 (eliminat$3 terminat$3 stop$4 end cancel$6))) AND ((@ad <= "19970313") or (@rlad <= "19970313"))	USPAT; US-PGPUB	2002/07/09 16:11